


MEXLN2

- Cylindrical shank
- 2 flutes
- Extended and reduced neck





DC	DC tol.	DCON	APMX	LU	DN	LF	ZEFP	LU $\alpha=30^\circ$	LU $\alpha=1^\circ$	LU $\alpha=1^\circ 30'$	LU $\alpha=2^\circ$	LU $\alpha=3^\circ$	EDP no.	Stock
0.2	0/-0.010	4	0.3	0.5	0.16	50	2	0.57	0.59	0.61	0.63	0.68	MEXLN2002005	⊙
0.2	0/-0.010	4	0.3	1	0.16	50	2	1.09	1.12	1.16	1.21	1.3	MEXLN200201	⊙
0.2	0/-0.010	4	0.3	1.5	0.16	50	2	1.6	1.66	1.72	1.78	1.91	MEXLN2002015	⊙
0.3	0/-0.010	4	0.4	1	0.26	50	2	1.09	1.12	1.16	1.21	1.3	MEXLN200301	●
0.3	0/-0.010	4	0.4	2	0.26	50	2	2.12	2.19	2.27	2.35	2.53	MEXLN200302	⊙
0.3	0/-0.010	4	0.4	3	0.26	50	2	3.15	3.26	3.38	3.5	3.76	MEXLN200303	●
0.4	0/-0.010	4	0.6	2	0.37	50	2	2.12	2.19	2.27	2.35	2.53	MEXLN200402	●
0.4	0/-0.010	4	0.6	3	0.37	50	2	3.15	3.26	3.38	3.5	3.76	MEXLN200403	●
0.4	0/-0.010	4	0.6	4	0.37	50	2	4.19	4.33	4.49	4.65	5	MEXLN200404	●
0.4	0/-0.010	4	0.6	5	0.37	50	2	5.22	5.4	5.59	5.79	6.23	MEXLN200405	●
0.5	0/-0.010	4	0.7	2	0.45	50	2	2.16	2.23	2.31	2.4	2.57	MEXLN200502	●
0.5	0/-0.010	4	0.7	4	0.45	50	2	4.23	4.37	4.53	4.69	5.04	MEXLN200504	●
0.5	0/-0.010	4	0.7	6	0.45	50	2	6.29	6.51	6.74	6.98	7.51	MEXLN200506	●
0.5	0/-0.010	4	0.7	8	0.45	50	2	8.36	8.65	8.96	9.28	9.98	MEXLN200508	●
0.6	0/-0.010	4	0.9	2	0.55	50	2	2.16	2.23	2.31	2.4	2.57	MEXLN200602	●
0.6	0/-0.010	4	0.9	4	0.55	50	2	4.23	4.37	4.53	4.69	5.04	MEXLN200604	●
0.6	0/-0.010	4	0.9	6	0.55	50	2	6.29	6.51	6.74	6.98	7.51	MEXLN200606	⊙
0.6	0/-0.010	4	0.9	8	0.55	50	2	8.36	8.65	8.96	9.28	9.98	MEXLN200608	●
0.6	0/-0.010	4	0.9	10	0.55	50	2	10.43	10.79	11.17	11.57	12.44	MEXLN200610	●
0.7	0/-0.010	4	1	2	0.65	50	2	2.16	2.23	2.31	2.4	2.57	MEXLN200702	●
0.7	0/-0.010	4	1	4	0.65	50	2	4.23	4.37	4.53	4.69	5.04	MEXLN200704	●
0.7	0/-0.010	4	1	6	0.65	50	2	6.29	6.51	6.74	6.98	7.51	MEXLN200706	●
0.7	0/-0.010	4	1	8	0.65	50	2	8.36	8.65	8.96	9.28	9.98	MEXLN200708	●
0.7	0/-0.010	4	1	10	0.65	50	2	10.43	10.79	11.17	11.57	12.44	MEXLN200710	⊙
0.8	0/-0.010	4	1.2	4	0.75	50	2	4.23	4.37	4.53	4.69	5.04	MEXLN200804	●
0.8	0/-0.010	4	1.2	6	0.75	50	2	6.29	6.51	6.74	6.98	7.51	MEXLN200806	●
0.8	0/-0.010	4	1.2	8	0.75	50	2	8.36	8.65	8.96	9.28	9.98	MEXLN200808	●
0.8	0/-0.010	4	1.2	10	0.75	50	2	10.43	10.79	11.17	11.57	12.44	MEXLN200810	●
0.8	0/-0.010	4	1.2	12	0.75	50	2	12.49	12.93	13.38	13.87	14.91	MEXLN200812	⊙
0.9	0/-0.010	4	1.4	6	0.85	50	2	6.29	6.51	6.74	6.98	7.51	MEXLN200906	⊙
0.9	0/-0.010	4	1.4	8	0.85	50	2	8.36	8.65	8.96	9.28	9.98	MEXLN200908	●
0.9	0/-0.010	4	1.4	10	0.85	50	2	10.43	10.79	11.17	11.57	12.44	MEXLN200910	⊙
0.9	0/-0.010	4	1.4	15	0.85	50	2	15.6	16.14	16.71	17.31	18.61	MEXLN200915	⊙
1	0/-0.015	4	1.5	6	0.95	50	2	6.39	6.61	6.84	7.09	7.62	MEXLN201006	●
1	0/-0.015	4	1.5	8	0.95	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN201008	●
1	0/-0.015	4	1.5	10	0.95	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN201010	●
1	0/-0.015	4	1.5	12	0.95	50	2	12.59	13.03	13.49	13.97	15.02	MEXLN201012	●
1	0/-0.015	4	1.5	14	0.95	50	2	14.66	15.17	15.7	16.27	17.49	MEXLN201014	●
1	0/-0.015	4	1.5	16	0.95	50	2	16.73	17.3	17.92	18.56	19.96	MEXLN201016	●
1.2	0/-0.015	4	1.8	6	1.15	50	2	6.39	6.61	6.84	7.09	7.62	MEXLN201206	●
1.2	0/-0.015	4	1.8	8	1.15	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN201208	●
1.2	0/-0.015	4	1.8	10	1.15	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN201210	●
1.2	0/-0.015	4	1.8	12	1.15	50	2	12.59	13.03	13.49	13.97	15.02	MEXLN201212	●
1.4	0/-0.015	4	2.1	6	1.35	50	2	6.39	6.61	6.84	7.09	7.62	MEXLN201406	●
1.4	0/-0.015	4	2.1	8	1.35	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN201408	⊙

★ 1st choice, ☆ suitable, ● stock standard, ⊙ non-stock standard (no MOQ), ○ non-stock standard (MOQ), ▲ upcoming product, ▽ stock exhaustion

MEXLN2

- Cylindrical shank
- 2 flutes
- Extended and reduced neck




DC	DC tol.	DCON	APMX	LU	DN	LF	ZEFP	LU α=30°	LU α=1°	LU α=1°30'	LU α=2°	LU α=3°	EDP no.	Stock
1.4	0/-0.015	4	2.1	10	1.35	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN201410	●
1.4	0/-0.015	4	2.1	12	1.35	50	2	12.59	13.03	13.49	13.97	15.02	MEXLN201412	●
1.4	0/-0.015	4	2.1	16	1.35	50	2	16.73	17.3	17.92	18.56	19.96	MEXLN201416	●
1.5	0/-0.015	4	2.3	6	1.45	50	2	6.39	6.61	6.84	7.09	7.62	MEXLN201506	●
1.5	0/-0.015	4	2.3	8	1.45	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN201508	●
1.5	0/-0.015	4	2.3	10	1.45	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN201510	●
1.5	0/-0.015	4	2.3	12	1.45	50	2	12.59	13.03	13.49	13.97	15.02	MEXLN201512	●
1.5	0/-0.015	4	2.3	14	1.45	50	2	14.66	15.17	15.7	16.27	17.49	MEXLN201514	●
1.5	0/-0.015	4	2.3	16	1.45	50	2	16.73	17.3	17.92	18.56	19.96	MEXLN201516	●
1.5	0/-0.015	4	2.3	18	1.45	60	2	18.79	19.44	20.13	20.86	22.43	MEXLN201518	●
1.5	0/-0.015	4	2.3	20	1.45	60	2	20.86	21.58	22.35	23.15	-	MEXLN201520	●
1.6	0/-0.015	4	2.4	6	1.55	50	2	6.39	6.61	6.84	7.09	7.62	MEXLN201606	●
1.6	0/-0.015	4	2.4	8	1.55	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN201608	●
1.6	0/-0.015	4	2.4	10	1.55	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN201610	●
1.6	0/-0.015	4	2.4	12	1.55	50	2	12.59	13.03	13.49	13.97	15.02	MEXLN201612	●
1.6	0/-0.015	4	2.4	14	1.55	50	2	14.66	15.17	15.7	16.27	17.49	MEXLN201614	●
1.6	0/-0.015	4	2.4	16	1.55	50	2	16.73	17.3	17.92	18.56	19.96	MEXLN201616	◎
1.6	0/-0.015	4	2.4	18	1.55	60	2	18.79	19.44	20.13	20.86	22.43	MEXLN201618	●
1.6	0/-0.015	4	2.4	20	1.55	60	2	20.86	21.58	22.35	23.15	-	MEXLN201620	●
1.8	0/-0.015	4	2.7	6	1.75	50	2	6.39	6.61	6.84	7.09	7.62	MEXLN201806	●
1.8	0/-0.015	4	2.7	8	1.75	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN201808	◎
1.8	0/-0.015	4	2.7	10	1.75	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN201810	●
1.8	0/-0.015	4	2.7	12	1.75	50	2	12.59	13.03	13.49	13.97	15.02	MEXLN201812	◎
1.8	0/-0.015	4	2.7	16	1.75	50	2	16.73	17.3	17.92	18.56	19.96	MEXLN201816	●
1.8	0/-0.015	4	2.7	20	1.75	60	2	20.86	21.58	22.35	23.15	-	MEXLN201820	●
2	0/-0.015	4	3	6	1.95	50	2	6.39	6.61	6.84	7.09	7.62	MEXLN202006	●
2	0/-0.015	4	3	8	1.95	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN202008	●
2	0/-0.015	4	3	10	1.95	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN202010	●
2	0/-0.015	4	3	12	1.95	50	2	12.59	13.03	13.49	13.97	15.02	MEXLN202012	●
2	0/-0.015	4	3	14	1.95	50	2	14.66	15.17	15.7	16.27	17.49	MEXLN202014	●
2	0/-0.015	4	3	16	1.95	50	2	16.73	17.3	17.92	18.56	-	MEXLN202016	●
2	0/-0.015	4	3	18	1.95	60	2	18.79	19.44	20.13	20.86	-	MEXLN202018	●
2	0/-0.015	4	3	20	1.95	60	2	20.86	21.58	22.35	23.15	-	MEXLN202020	●
2	0/-0.015	4	3	25	1.95	75	2	26.03	26.93	27.88	-	-	MEXLN202025	●
2	0/-0.015	4	3	30	1.95	75	2	31.2	32.28	33.42	-	-	MEXLN202030	●
2.5	0/-0.020	4	3.7	8	2.4	50	2	8.46	8.75	9.06	9.38	10.09	MEXLN202508	●
2.5	0/-0.020	4	3.7	10	2.4	50	2	10.52	10.89	11.27	11.68	12.56	MEXLN202510	●
2.5	0/-0.020	4	3.7	12	2.4	50	2	12.59	13.03	13.49	13.97	-	MEXLN202512	●
2.5	0/-0.020	4	3.7	16	2.4	50	2	16.73	17.3	17.92	18.56	-	MEXLN202516	●
2.5	0/-0.020	4	3.7	20	2.4	60	2	20.86	21.58	22.35	-	-	MEXLN202520	●
2.5	0/-0.020	4	3.7	25	2.4	60	2	26.03	26.93	27.88	-	-	MEXLN202525	●
2.5	0/-0.020	4	3.7	30	2.4	75	2	31.2	32.28	-	-	-	MEXLN202530	●
3	0/-0.025	6	4.5	8	2.85	50	2	8.65	8.95	9.26	9.6	10.31	MEXLN203008	●
3	0/-0.025	6	4.5	10	2.85	50	2	10.72	11.09	11.48	11.89	12.78	MEXLN203010	●
3	0/-0.025	6	4.5	12	2.85	50	2	12.78	13.23	13.69	14.18	15.25	MEXLN203012	●

★ 1st choice, ☆ suitable, ● stock standard, ◎ non-stock standard (no MOQ), ○ non-stock standard (MOQ), ▲ upcoming product, ▽ stock exhaustion

MEXLN2

- Cylindrical shank
- 2 flutes
- Extended and reduced neck



P	M	K	N	S	H
★		★			★

OSAWA
NORM

MEX

NMG
ENDLESS
ORANGE

<55
HRC

FHA 40°

SQUARE

ZEFP 2

SQUARE RIB

DC	DC tol.	DCON	APMX	LU	DN	LF	ZEFP	LU $\alpha=30^\circ$	LU $\alpha=1^\circ$	LU $\alpha=1^\circ 30'$	LU $\alpha=2^\circ$	LU $\alpha=3^\circ$	EDP no.	Stock
3	0/-0.025	6	4.5	14	2.85	50	2	14.85	15.36	15.91	16.48	17.72	MEXLN203014	●
3	0/-0.025	6	4.5	16	2.85	60	2	16.92	17.5	18.12	18.77	20.18	MEXLN203016	●
3	0/-0.025	6	4.5	18	2.85	60	2	18.99	19.64	20.34	21.07	22.65	MEXLN203018	●
3	0/-0.025	6	4.5	20	2.85	60	2	21.05	21.78	22.55	23.36	25.12	MEXLN203020	●
3	0/-0.025	6	4.5	25	2.85	75	2	26.22	27.13	28.09	29.1	-	MEXLN203025	●
4	0/-0.025	6	4.5	10	3.85	60	2	10.91	11.29	11.68	12.1	13	MEXLN204010	●
4	0/-0.025	6	4.5	15	3.85	60	2	16.08	16.63	17.22	17.84	19.17	MEXLN204015	◎
4	0/-0.025	6	4.5	20	3.85	60	2	21.25	21.98	22.76	23.57	-	MEXLN204020	●
4	0/-0.025	6	4.5	25	3.85	75	2	26.41	27.33	28.29	-	-	MEXLN204025	●
4	0/-0.025	6	4.5	30	3.85	75	2	31.58	32.67	33.83	-	-	MEXLN204030	●
4	0/-0.025	6	4.5	40	3.85	75	2	41.92	43.37	-	-	-	MEXLN204040	●

★ 1st choice, ☆ suitable, ● stock standard, ◎ non-stock standard (no MOQ), ○ non-stock standard (MOQ), ▲ upcoming product, ▽ stock exhaustion